

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

galls. He states that if a dissection be made of one of the weevil galls on the bulb of the turnip, the second or third slice will show the outer foliations, exactly similar to those of the root buds. When the centre has been reached, where the maggot will be found, there will also be found a vascular pencil running up from a medullary ray in the bulb, and bearing on its top a bud of the same description as that produced by a ray running out from a root. The insertion of the insect's ovipositor brings a medullary ray into action, producing a tuberculated bud, and it is only the bud which the larva feeds upon. The author thinks the growth of a bud is an intelligible cause of the growth of a gall, but that we can infer nothing from the injection of a fluid. These statements seem to merit further examination, for if "oak-spangles," button-galls, and a host of like productions are really leaf-buds, they are certainly developed in very abnormal situations.

§ 323. Washingtonia.—The name Washingtonia, which was proposed by Kellogg to displace Lindley's Wellingtonia, and both of which had to give way before Endlicher's Sequoia, is now proposed for a Palm which has hitherto been referred to two different genera. This Palm, first known as Brahea filifera and then as Pritchardia filifera, is believed by Mr. Hermann Wendland (Botanische Zeitung), to possess sufficient differences to constitute it a species of a genus different from that of Pritchardia, and which he would name, as above stated, Washingtonia.

§ 324. Peteris aquilina, var. caudata is frequent in Southern

New Jersev and Delaware.

Cyperus ovularis, var. cylindricus (Mariscus cylindricus, Ell.), is the prevailing form in Southern New Jersey and southward throughout the Delaware peninsula.

WM. M. CANBY.

§ 325. Notes from New Jersey.—On Saturday I noticed some very large trees of Sassafras on the road from West Orange to Livingston. I measured the largest one and found it three feet in diameter three feet above the ground, towards which it increased

rapidly in size.

The following plants have recently been found in Franklin: Floerkea proserpinacoides, Willd.; a double and rose-tinted variety of Rubus villosus, Ait.; Pogonia verticillata, Nutt.; Conopholis Americana, Wallroth; Medicago maculata, Willd.; and a dwarf variety of Azalea viscosa, L. [var. nitida?]. Of this variety I found no specimen over a foot high, but the flowers were larger than any I have ever seen in the typical form. In Bloomfield: Nasturtium sylvestre, R Br., and Leucothoe racemosa, Gray. In Montclair: Obolaria Virginica, L.; Cypripedium parviflorum, Salisb.; Monotropa Hypopitys, L., and Silene inflata, Smith.

The North Jersev Botanical Club was formed on May 7th, and has already resulted in the introduction of the study into several schools. President, H. H. Rusby; Secretary and Treasurer, Miss Grace E. Cooley, Bloomfield; Executive Committee, Charles M.